



Lonsurf[®] (trifluridine and tipiracil) (Oral)

Document Number: IC-0255

Last Review Date: 09/05/2023 Date of Origin: 09/29/2015 Dates Reviewed: 07/2016, 09/2015, 07/2016, 08/2017, 07/2018, 03/2019, 07/2019, 07/2020, 07/2021, 07/2022, 07/2023, 09/2023

I. Length of Authorization

Coverage will be provided for 6 months and may be renewed.

II. Dosing Limits

A. Quantity Limit (max daily dose) [NDC Unit]:

- Lonsurf 15 mg/6.14 mg tablet: 60 tablets per 28 days
- Lonsurf 20 mg/8.19 mg tablets: 80 tablets per 28 days

B. Max Units (per dose and over time) [HCPCS Unit]:

• 160 mg daily for 10 days per 28-day cycle

III. Initial Approval Criteria¹

Coverage is provided in the following conditions:

• Patient is at least 18 years of age; AND

Appendiceal Adenocarcinoma – Colon Cancer²

- Patient has advanced or metastatic disease; AND
- Used as a single agent or in combination with bevacizumab; AND
- Used as subsequent therapy for disease progression through all available regimens besides regorafenib or trifluridine/tipiracil with or without bevacizumab; **AND**
 - \circ $\,$ Patient has mismatch repair proficient/microsatellite-stable (pMMR/MSS) disease; \mathbf{OR}
 - Patient has mismatch repair deficient/microsatellite instability-high (dMMR/MSI-H) disease AND is not a candidate for or has progressed on checkpoint inhibitor immunotherapy

Colorectal Cancer † ‡ ^{1-4,7,9}

• Patient has advanced or metastatic disease; AND



- Used as a single agent or in combination with bevacizumab; AND
- Used as subsequent therapy for disease progression through all available regimens besides regorafenib or trifluridine/tipiracil with or without bevacizumab; **AND**
 - Patient has mismatch repair proficient/microsatellite-stable (pMMR/MSS) disease**;
 OR
 - Patient has mismatch repair deficient/microsatellite instability-high (dMMR/MSI-H) disease** AND is not a candidate for or has progressed on checkpoint inhibitor immunotherapy**

******Note: Only applies to advanced disease

Gastric and Gastroesophageal Junction Adenocarcinoma † Φ ^{1,2,5.6.8}

- Patient has recurrent, metastatic, or unresectable locally advanced disease OR patient is not a surgical candidate; **AND**
- Used as a single agent; AND
- Patient has received at least two (2) prior lines of chemotherapy

FDA Approved Indication(s); Compendia Recommended Indication(s); Orphan Drug

IV. Renewal Criteria¹

Coverage can be renewed based upon the following criteria:

- Patient continues to meet indication-specific relevant criteria such as concomitant therapy requirements (not including prerequisite therapy), performance status, etc. identified in section III; **AND**
- Disease response with treatment as defined by stabilization of disease or decrease in size of tumor or tumor spread; **AND**
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include: severe myelosuppression (e.g., anemia, neutropenia/febrile neutropenia, thrombocytopenia), etc.

V. Dosage/Administration¹

Indication	Dose
All Indications	35 mg/m ² up to a maximum of 80 mg per dose (based on the trifluridine component) orally twice daily on Days 1 through 5 and Days 8 through 12 of each 28-day cycle (round dose to the nearest 5 mg increment) until disease progression or unacceptable toxicity.

VI. Billing Code/Availability Information

HCPCS Code:

• J8999 – Prescription drug, oral, chemotherapeutic, nos



NDC(s):

- Lonsurf 15 mg/6.14 mg tablet: 64842-1025-xx
- Lonsurf 20 mg/8.19 mg tablet: 64842-1020-xx

VII. References

- 1. Lonsurf [package insert]. Princeton, NJ; Taiho Oncology Inc; August 20203. Accessed August 2023.
- 2. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium[®]) trifluridine/tipiracil. National Comprehensive Cancer Network, 2023. The NCCN Compendium[®] is a derivative work of the NCCN Guidelines[®]. NATIONAL COMPREHENSIVE CANCER NETWORK[®], NCCN[®], and NCCN GUIDELINES[®] are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed August 2023.
- 3. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines[®]) for Colon Cancer Version 2.2023. National Comprehensive Cancer Network, 2023. NATIONAL COMPREHENSIVE CANCER NETWORK[®], NCCN[®], and NCCN GUIDELINES[®] are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed August 2023.
- 4. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines[®]) for Rectal Cancer Version 4.2023. National Comprehensive Cancer Network, 2023. NATIONAL COMPREHENSIVE CANCER NETWORK[®], NCCN[®], and NCCN GUIDELINES[®] are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed August 2023.
- 5. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines[®]) for Esophageal and Esophagogastric Junction Cancers 2.2023. National Comprehensive Cancer Network, 2023. NATIONAL COMPREHENSIVE CANCER NETWORK[®], NCCN[®], and NCCN GUIDELINES[®] are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed May 2023.
- 6. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines[®]) for Gastric Cancer Version 1.2023. National Comprehensive Cancer Network, 2023. NATIONAL COMPREHENSIVE CANCER NETWORK[®], NCCN[®], and NCCN GUIDELINES[®] are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed June 2023.
- Mayer RJ, Van Cutsem E, Falcone A, et al. Randomized trial of TAS-102 for refractory metastatic colorectal cancer. N Engl J Med. 2015 May 14;372(20):1909-19. doi: 10.1056/NEJMoa1414325.



- Shitara K, Doi T, Dvorkin M, et al. Trifluridine/tipiracil versus placebo in patients with heavily pretreated metastatic gastric cancer (TAGS): a randomised, double-blind, placebocontrolled, phase 3 trial. Lancet Oncol. 2018 Nov;19(11):1437-1448. doi: 10.1016/S1470-2045(18)30739-3. Epub 2018 Oct 21. Erratum in: Lancet Oncol. 2018 Dec;19(12):e668.
- Tabernero J, Taieb J, Prager GW, Ciardiello F, Fakih M, Leger C, Fougeray R, Amellal N, van Cutsem E. Trifluridine/tipiracil plus bevacizumab for third-line management of metastatic colorectal cancer: SUNLIGHT study design. Future Oncol. 2021 Jun;17(16):1977-1985. doi: 10.2217/fon-2020-1238. Epub 2021 Feb 11. PMID: 33569986.

ICD-10	ICD-10 Description	
C15.3	Malignant neoplasm of upper third of esophagus	
C15.4	Malignant neoplasm of middle third of esophagus	
C15.5	Malignant neoplasm of lower third of esophagus	
C15.8	Malignant neoplasm of overlapping sites of esophagus	
C15.9	Malignant neoplasm of esophagus, unspecified	
C16.0	Malignant neoplasm of cardia	
C16.1	Malignant neoplasm of fundus of stomach	
C16.2	Malignant neoplasm of body of stomach	
C16.3	Malignant neoplasm of pyloric antrum	
C16.4	Malignant neoplasm of pylorus	
C16.5	Malignant neoplasm of lesser curvature of stomach, unspecified	
C16.6	Malignant neoplasm of greater curvature of stomach, unspecified	
C16.8	Malignant neoplasm of overlapping sites of stomach	
C16.9	Malignant neoplasm of stomach, unspecified	
C18.0	Malignant neoplasm of cecum	
C18.1	Malignant neoplasm of appendix	
C18.2	Malignant neoplasm of ascending colon	
C18.3	Malignant neoplasm of hepatic flexure	
C18.4	Malignant neoplasm of transverse colon	
C18.5	Malignant neoplasm of splenic flexure	
C18.6	Malignant neoplasm of descending colon	
C18.7	Malignant neoplasm of sigmoid colon	
C18.8	Malignant neoplasm of overlapping sites of large intestines	
C18.9	Malignant neoplasm of colon, unspecified	
C19	Malignant neoplasm of rectosigmoid junction	

Appendix 1 – Covered Diagnosis Codes

LONSURF® (trifluridine and tipiracil) Prior Auth Criteria



Proprietary Information. Restricted Access – Do not disseminate or copy without approval. ©2023, Magellan Rx Management

ICD-10	ICD-10 Description	
C20	Malignant neoplasm of rectum	
C21.8	Malignant neoplasm of overlapping sites of rectum, anus and anal canal	
C78.00	Secondary malignant neoplasm of unspecified lung	
C78.01	Secondary malignant neoplasm of right lung	
C78.02	Secondary malignant neoplasm of left lung	
C78.6	Secondary malignant neoplasm of retroperitoneum and peritoneum	
C78.7	Secondary malignant neoplasm of liver and intrahepatic bile duct	
D37.1	Neoplasm of uncertain behavior of stomach	
D37.8	Neoplasm of uncertain behavior of other specified digestive organs	
D37.9	Neoplasm of uncertain behavior of digestive organ, unspecified	
Z85.00	Personal history of malignant neoplasm of unspecified digestive organ	
Z85.01	Personal history of malignant neoplasm of esophagus	
Z85.028	Personal history of other malignant neoplasm of stomach	
Z85.038	Personal history of other malignant neoplasm of large intestine	

Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD), Local Coverage Determinations (LCDs), and Local Coverage Articles (LCAs) may exist and compliance with these policies is required where applicable. They can be found at: http://www.cms.gov/medicare-coverage-database/search.aspx. Additional indications may be covered at the discretion of the health plan.

Medicare Part B Administrative Contractor (MAC) Jurisdictions				
Jurisdiction	Applicable State/US Territory	Contractor		
E (1)	CA, HI, NV, AS, GU, CNMI	Noridian Healthcare Solutions, LLC		
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC		
5	KS, NE, IA, MO	Wisconsin Physicians Service Insurance Corp (WPS)		
6	MN, WI, IL	National Government Services, Inc. (NGS)		
H (4 & 7)	LA, AR, MS, TX, OK, CO, NM	Novitas Solutions, Inc.		
8	MI, IN	Wisconsin Physicians Service Insurance Corp (WPS)		
N (9)	FL, PR, VI	First Coast Service Options, Inc.		
J (10)	TN, GA, AL	Palmetto GBA, LLC		
M (11)	NC, SC, WV, VA (excluding below)	Palmetto GBA, LLC		
L (12)	DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA)	Novitas Solutions, Inc.		

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD/LCA): N/A

LONSURF[®] (trifluridine and tipiracil) Prior Auth Criteria



Proprietary Information. Restricted Access – Do not disseminate or copy without approval. ©2023, Magellan Rx Management

Medicare Part B Administrative Contractor (MAC) Jurisdictions				
Jurisdiction	Applicable State/US Territory	Contractor		
K (13 & 14)	NY, CT, MA, RI, VT, ME, NH	National Government Services, Inc. (NGS)		
15	KY, OH	CGS Administrators, LLC		

Page 6

