



Retevmo® (selpercatinib) (Oral)

Document Number: IC-0537

Last Review Date: 05/02/2024 Date of Origin: 6/02/2020

Dates Reviewed: 06/2020, 05/2021, 05/2022, 10/2022, 05/2023, 05/2024

I. Length of Authorization

Coverage will be provided for 6 months and may be renewed.

II. Dosing Limits

A. Quantity Limit (max daily dose) [NDC Unit]:

- Retevmo 40 mg capsules: 2 capsules per day
- Retevmo 80 mg capsules: 2 capsules per day
- Retevmo 40 mg tablets: 2 tablets per day
- Retevmo 80 mg tablets: 2 tablets per day
- Retevmo 120 mg tablets: 2 tablets per day
- Retevmo 160 mg tablets: 2 tablets per day

B. Max Units (per dose and over time) [HCPCS Unit]:

320 mg per day

III. Initial Approval Criteria ¹

Coverage is provided in the following conditions:

Patient is at least 18 years of age (unless otherwise specified); AND

Universal Criteria 1

- Used as a single agent; AND
- Patient does not have uncontrolled hypertension; AND
- Patient must not have had major surgery within the preceding 14 days or have a surgical wound that has not fully healed; **AND**
- Therapy will not be used concomitantly with other RET-type targeted therapies (i.e., cabozantinib, vandetanib, pralsetinib, etc.)
- Patient will avoid concomitant therapy with all of the following:
 - Coadministration with acid-reducing agents, or if therapy is unavoidable, the patient will be monitored closely for adverse reaction and/or dose modifications will be implemented; OR



- Coadministration with strong or moderate CYP3A inhibitors (e.g., diltiazem, fluconazole, verapamil, itraconazole, etc.), or if therapy is unavoidable, the patient will be monitored closely for adverse reaction and/or dose modifications will be implemented; **OR**
- Coadministration with strong and moderate CYP3A inducers (e.g., rifampin, bosentan, efavirenz, etc.); AND

Non-Small Cell Lung Cancer (NSCLC) † ‡ Φ 1-3,7

- Patient has RET gene fusion/rearrangement positive disease as detected by an FDAapproved or CLIA compliant test . AND
- Patient has recurrent, advanced, or metastatic disease (excluding locoregional recurrence or symptomatic local disease without evidence of disseminated disease) or mediastinal lymph node recurrence with prior radiation therapy

Thyroid Cancer † ‡ Φ 1,2,4,6

- Patient has RET gene fusion positive follicular, oncocytic, or papillary carcinoma as detected by an FDA-approved or CLIA compliant test❖; **AND**
 - o Patient is at least 12 years of age; AND
 - Patient has metastatic, advanced, or unresectable locoregional recurrent or persistent disease; AND
 - Patient is radioactive iodine (RAI) therapy refractory or is not amenable to RAI therapy; OR
- Patient has RET-mutation positive medullary thyroid cancer (MTC) as detected by an FDAapproved or CLIA compliant test . AND
 - Patient is at least 12 years of age; AND
 - Patient has symptomatic or progressive disease; **OR**
 - Patient has advanced or metastatic disease; OR
- Patient has RET gene fusion positive anaplastic carcinoma as detected by an FDA-approved or CLIA compliant test❖; **AND**
 - Used as neoadjuvant therapy for borderline resectable locoregional disease; **OR**
 - Used as first- or second-line therapy for metastatic disease

RET Fusion-Positive Solid Tumors † ‡

- Patient has RET gene fusion positive solid tumors as detected by an FDA-approved or CLIA compliant test ❖; AND
- Used as a single agent; AND
- Patient has, but is not limited to*, one of the following tumor types:

Proprietary Information. Restricted Access – Do not disseminate or copy

Breast Cancer 2,10



- Patient has no satisfactory alternative treatments or disease has progressed following treatment; AND
 - Patient has recurrent unresectable (local or regional) or stage IV (M1) disease; OR
 - Patient has not responded to preoperative systemic therapy
- o Central Nervous System (CNS) Cancers 2,11
 - Patient has brain metastases from RET gene -fusion positive non-small cell lung cancer; AND
 - Used as initial treatment in patients with small asymptomatic brain metastases; OR
 - ➤ Used for relapsed limited brain metastases with either stable systemic disease or reasonable systemic treatment options; **OR**
 - ➤ Patient has recurrent limited brain metastases; **OR**
 - > Used for recurrent extensive brain metastases with stable systemic disease or reasonable systemic treatment options
- o <u>Cervical Cancer</u> ²
 - Used as subsequent therapy for recurrent or metastatic disease
- o Colorectal Adenocarcinoma ²
 - Used as subsequent therapy for progression of metastatic disease
- Gastric Adenocarcinoma OR Esophageal/Esophagogastric Junction (GEJ)
 Adenocarcinoma/Squamous Cell Carcinoma ^{2,10}
 - Used palliatively as subsequent therapy; AND
 - Patient has unresectable (or is not a surgical candidate) locally advanced, recurrent or metastatic disease
- o <u>Head and Neck Cancer 2,10</u>
 - Patient has salivary gland tumors; AND
 - Used for one of the following:
 - > Recurrent disease with distant metastases; **OR**
 - Unresectable locoregional recurrence or second primary with prior radiation therapy (RT)
- o Hepatobiliary Cancer²
 - Used as subsequent treatment for progressive disease; AND
 - Patient has cholangiocarcinoma (Intra/Extra hepatic); AND
 - ➤ Patient has unresectable or metastatic disease; **OR**
 - Patient has hepatocellular carcinoma; AND
 - > Patient has unresectable disease and is not a transplant candidate; **OR**
 - ➤ Patient has liver-confined disease that is inoperable by performance status, comorbidity, or with minimal or uncertain extrahepatic disease; **OR**



- Patient has metastatic disease or extensive liver tumor burden
- o Histiocytic Neoplasms 2
 - Patient has one of the following sub-types of disease:
 - Langerhans Cell Histiocytosis (LCH); AND
 - ➤ Used for multisystem disease with symptomatic or impending organ dysfunction; **OR**
 - ➤ Used for single-system lung LCH; **OR**
 - ➤ Patient has multifocal single system bone disease not responsive to treatment with a bisphosphonate and more than 2 lesions; **OR**
 - > Patient has CNS lesions; **OR**
 - ➤ Used for relapsed/refractory disease; **OR**
 - Erdheim-Chester Disease; AND
 - Patient has symptomatic disease; OR
 - ➤ Used for relapsed or refractory disease; **OR**
 - Rosai-Dorfman Disease; AND
 - Patient has symptomatic disease that is multifocal or unresectable unifocal;
 OR
 - Used for relapsed or refractory disease
- Neuroendocrine Tumors (Extrapulmonary Poorly Differentiated Neuroendocrine
 Carcinoma/Large or Small Cell Carcinoma/Mixed Neuroendocrine-Non-Neuroendocrine
 Neoplasm)^{2,10}
 - Patient has locoregional unresectable or metastatic disease; AND
 - Patient progressed following prior treatment and has no satisfactory alternative treatment options
- o Occult Primary/Cancer of Unknown Primary (CUP)^{2,10}
 - Patient has adenocarcinoma or carcinoma not otherwise specified; AND
 - Patient has one of the following:
 - ➤ Axillary involvement in those with a prostate or post-prostatectomy if clinically indicated; **OR**
 - Lung nodules or breast marker-negative pleural effusion; **OR**
 - > Resectable liver disease; **OR**
 - ➤ Peritoneal mass or ascites with non-ovarian histology; **OR**
 - > Retroperitoneal mass of non-germ cell histology in selected patients; **OR**
 - Unresectable liver disease or disseminated metastases
- Ovarian Cancer (Epithelial Ovarian/Fallopian Tube/Primary Peritoneal Cancer)
 - Patient is not experiencing an immediate biochemical relapse (i.e., rising CA-125 without evidence of radiographic disease);



- Patient has persistent, relapsed, or recurrent disease
- o Pancreatic Adenocarcinoma 2,10
 - Used as subsequent therapy for locally advanced, metastatic, progressive or recurrent disease
- o Small Bowel Adenocarcinoma 2,10
 - Used as subsequent therapy for metastatic disease
- o Soft Tissue Sarcoma 2,10
 - Used as first-line therapy for one of the following:
 - Advanced or metastatic pleomorphic rhabdomyosarcoma; OR
 - Advanced, unresectable, recurrent, or metastatic disease of the extremity/body wall/head-neck; OR
 - Advanced, unresectable, or metastatic disease or post-operatively for sarcoma of the retroperitoneal or intra-abdominal area; OR
 - Used as an alternative systemic therapy for unresectable or progressive disease after initial therapy for unresectable or stage IV for sarcoma of the retroperitoneal or intra-abdominal area

- ♦ If confirmed using an immunotherapy assay-http://www.fda.gov/companiondiagnostics
- † FDA Approved Indication(s); ‡ Compendia recommended indication(s); ♠ Orphan Drug

IV. Renewal Criteria 1

Coverage can be renewed based on the following criteria:

- Patient continues to meet universal and other indication-specific relevant criteria such as concomitant therapy requirements (not including prerequisite therapy), performance status, etc. identified in section III; AND
- Disease response with treatment as defined by stabilization of disease or decrease in size of tumor or tumor spread; **AND**
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include: severe hepatotoxicity, severe hypersensitivity, QT interval prolongation, impaired wound healing, severe or life-threatening hemorrhagic events, uncontrolled hypertension, tumor lysis syndrome, etc.

V. Dosage/Administration 1,9,11

Indication	Dose	
	Administer (capsules or tablets) orally twice daily, until disease progression or unacceptable toxicity. • Weight < 50 kg: 120 mg per dose	



^{*}Note: Solid tumors not listed, that are RET-fusion positive, will be reviewed on a case-by-case basis and considered medically necessary when all other relevant medication and indication specific criteria are met.

Weight $\geq 50 \text{ kg}$: 160 mg per dose

VI. Billing Code/Availability Information

HCPCS Code(s):

- J8999 Prescription drug, oral, chemotherapeutic, nos
- C9399 Unclassified drugs or biologicals (for hospital outpatient use ONLY)

NDC(s):

- Retevmo 40 mg capsules: 00002-3977-xx
- Retevmo 80 mg capsules: 00002-2980-xx
- Retevmo 40 mg tablets: 00002-5340-xx
- Retevmo 80 mg tablets: 00002-6082-xx
- Reteymo 120 mg tablets: 00002-6120-xx
- Retevmo 160 mg tablets: 00002-5562-xx

VII. References

- 1. Retevmo [package insert]. Indianapolis, IN; Lilly USA, LLC., April 2024. Accessed April 2024.
- 2. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium®) for selpercatinib. National Comprehensive Cancer Network, 2024. The NCCN Compendium® is a derivative work of the NCCN Guidelines®. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed April 2024.
- 3. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) for Non-Small Cell Lung Cancer Version 2.2023. National Comprehensive Cancer Network, 2023. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed April 2023.
- 4. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) for Thyroid Carcinomas Version 1.2023. National Comprehensive Cancer Network, 2023. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed April 2023.
- 5. ClinicalTrials.gov [Internet]. Bethesda (MD): National Library of Medicine (US). Date: 5/17/17. Identifier NCT03157128: A Phase 1/2 Study of Oral LOXO-292 in Patients With Advanced Solid Tumors, Including RET Fusion-Positive Solid Tumors, Medullary Thyroid Cancer, and Other Tumors With RET Activation (LIBRETTO-001); [Accessed 5/12/20]; [about 4 screens]. Available from: https://clinicaltrials.gov/ct2/show/NCT03157128?term=NCT03157128&draw=2&rank=1.



- 6. Wirth LJ, Sherman E, Robinson B, et al. Efficacy of Selpercatinib in RET-Altered Thyroid Cancers. N Engl J Med. 2020 Aug 27;383(9):825-835. doi: 10.1056/NEJMoa2005651.
- 7. Drilon A, Oxnard GR, Tan DSW, et al. Efficacy of Selpercatinib in RET Fusion-Positive Non-Small-Cell Lung Cancer. N Engl J Med. 2020 Aug 27;383(9):813-824. doi: 10.1056/NEJMoa2005653.
- 8. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) for Histiocytic Neoplasms 1.2002.2021. National Comprehensive Cancer Network, 2022. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed April 2023.
- 9. Durham BH, Lopez Rodrigo E, Picarsic J, et al. Activating mutations in CSF1R and additional receptor tyrosine kinases in histiocytic neoplasms. Nat Med. 2019 Dec;25(12):1839-1842. doi: 10.1038/s41591-019-0653-6.
- 10. Subbiah V, Wolf J, Konda B, et al. Tumour-agnostic efficacy and safety of selpercatinib in patients with RET fusion-positive solid tumours other than lung or thyroid tumours (LIBRETTO-001): a phase 1/2, open-label, basket trial. Lancet Oncol. 2022 Sep 12:S1470-2045(22)00541-1. doi: 10.1016/S1470-2045(22)00541-1.
- 11. Subbiah V, Gainor J, Oxnard G, et al. Intracranial Efficacy of Selpercatinib in RET Fusion-Positive Non-Small Cell Lung Cancers on the LIBRETTO-001 Trial. Clin Cancer Res. 2021 Aug 1;27(15):4160-4167. doi: 10.1158/1078-0432.CCR-21-0800. Epub 2021 Jun 4.

Appendix 1 – Covered Diagnosis Codes

ICD-10	ICD-10 Description	
C06.9	Malignant neoplasm of mouth, unspecified	
C07	Malignant neoplasm of parotid gland	
C08.0	Malignant neoplasm of submandibular gland	
C08.1	Malignant neoplasm of sublingual gland	
C08.9	Malignant neoplasm of major salivary gland, unspecified	
C15.3	Malignant neoplasm of upper third of esophagus	
C15.4	Malignant neoplasm of middle third of esophagus	
C15.5	Malignant neoplasm of lower third of esophagus	
C15.8	Malignant neoplasm of overlapping sites of esophagus	
C15.9	Malignant neoplasm of esophagus, unspecified	
C16.0	Malignant neoplasm of cardia	
C16.1	Malignant neoplasm of fundus of stomach	
C16.2	Malignant neoplasm of body of stomach	
C16.3	Malignant neoplasm of pyloric antrum	
C16.4	Malignant neoplasm of pylorus	
C16.5	Malignant neoplasm of lesser curvature of stomach, unspecified	
C16.6	Malignant neoplasm of greater curvature of stomach, unspecified	



ICD-10	ICD-10 Description	
C16.8	Malignant neoplasm of overlapping sites of stomach	
C16.9	Malignant neoplasm of stomach, unspecified	
C17.0	Malignant neoplasm duodenum	
C17.1	Malignant neoplasm jejunum	
C17.2	Malignant neoplasm ileum	
C17.3	Meckel's diverticulum, malignant	
C17.8	Malignant neoplasm of overlapping sites of small intestines	
C17.9	Malignant neoplasm of small intestine, unspecified	
C18.0	Malignant neoplasm of cecum	
C18.1	Malignant neoplasm of appendix	
C18.2	Malignant neoplasm of ascending colon	
C18.3	Malignant neoplasm of hepatic flexure	
C18.4	Malignant neoplasm of transverse colon	
C18.5	Malignant neoplasm of splenic flexure	
C18.6	Malignant neoplasm of descending colon	
C18.7	Malignant neoplasm of sigmoid colon	
C18.8	Malignant neoplasm of overlapping sites of large intestines	
C18.9	Malignant neoplasm of colon, unspecified	
C19	Malignant neoplasm of rectosigmoid junction	
C20	Malignant neoplasm of rectum	
C21.8	Malignant neoplasm of overlapping sites of rectum, anus and anal canal	
C22.1	Intrahepatic bile duct carcinoma	
C24.0	Malignant neoplasm of extrahepatic bile duct	
C24.8	Malignant neoplasm of overlapping sites of biliary tract	
C24.9	Malignant neoplasm of biliary tract, unspecified	
C25.0	Malignant neoplasm of head of pancreas	
C25.1	Malignant neoplasm of body of the pancreas	
C25.2	Malignant neoplasm of tail of pancreas	
C25.3	Malignant neoplasm of pancreatic duct	
C25.7	Malignant neoplasm of other parts of pancreas	
C25.8	Malignant neoplasm of overlapping sites of pancreas	
C25.9	Malignant neoplasm of pancreas, unspecified	
C33	Malignant neoplasm of trachea	
C34.00	Malignant neoplasm of unspecified main bronchus	
C34.01	Malignant neoplasm of right main bronchus	
C34.02	Malignant neoplasm of left main bronchus	
C34.10	Malignant neoplasm of upper lobe, unspecified bronchus or lung	



ICD-10	ICD-10 Description	
C34.11	Malignant neoplasm of upper lobe, right bronchus or lung	
C34.12	Malignant neoplasm of upper lobe, left bronchus or lung	
C34.2	Malignant neoplasm of middle lobe, bronchus or lung	
C34.30	Malignant neoplasm of lower lobe, unspecified bronchus or lung	
C34.31	Malignant neoplasm of lower lobe, right bronchus or lung	
C34.32	Malignant neoplasm of lower lobe, left bronchus or lung	
C34.80	Malignant neoplasm of overlapping sites of unspecified bronchus or lung	
C34.81	Malignant neoplasm of overlapping sites of right bronchus and lung	
C34.82	Malignant neoplasm of overlapping sites of left bronchus and lung	
C34.90	Malignant neoplasm of unspecified part of unspecified bronchus or lung	
C34.91	Malignant neoplasm of unspecified part of right bronchus or lung	
C34.92	Malignant neoplasm of unspecified part of left bronchus or lung	
C47.0	Malignant neoplasm of peripheral nerves of head, face and neck	
C47.4	Malignant neoplasm of peripheral nerves of abdomen	
C47.5	Malignant neoplasm of peripheral nerves of pelvis	
C47.10	Malignant neoplasm of peripheral nerves of unspecified upper limb, including shoulder	
C47.11	Malignant neoplasm of peripheral nerves of right upper limb, including shoulder	
C47.12	Malignant neoplasm of peripheral nerves of left upper limb, including shoulder	
C47.20	Malignant neoplasm of peripheral nerves of unspecified lower limb, including hip	
C47.21	Malignant neoplasm of peripheral nerves of right lower limb, including hip	
C47.22	Malignant neoplasm of peripheral nerves of left lower limb, including hip	
C47.3	Malignant neoplasm of peripheral nerves of thorax	
C47.6	Malignant neoplasm of peripheral nerves of trunk, unspecified	
C47.8	Malignant neoplasm of overlapping sites of peripheral nerves and autonomic nervous	
C47.9	Malignant neoplasm of peripheral nerves and autonomic nervous system, unspecified	
C48.0	Malignant neoplasm of retroperitoneum	
C48.1	Malignant neoplasm of specified parts of peritoneum	
C48.2	Malignant neoplasm of peritoneum, unspecified	
C48.8	Malignant neoplasm of overlapping sites of retroperitoneum and peritoneum	
C49.0	Malignant neoplasm of connective and soft tissue of head, face and neck	
C49.10	Malignant neoplasm of connective and soft tissue of unspecified upper limb, including	
C49.11	Malignant neoplasm of connective and soft tissue of right upper limb including shoulder	
C49.12	Malignant neoplasm of connective and soft tissue of left upper limb, including shoulder	
C49.20	Malignant neoplasm of connective and soft tissue of unspecified lower limb, including hip	
C49.21	Malignant neoplasm of connective and soft tissue of right lower limb, including hip	
C49.22	Malignant neoplasm of connective and soft tissue of left lower limb, including hip	
C49.3	Malignant neoplasm of connective and soft tissue of thorax	



ICD-10	ICD-10 Description	
C49.4	Malignant neoplasm of connective and soft tissue of abdomen	
C49.5	Malignant neoplasm of connective and soft tissue of pelvis	
C49.6	Malignant neoplasm of connective and soft tissue of trunk, unspecified	
C49.8	Malignant neoplasm of overlapping sites of connective and soft tissue	
C49.9	Malignant neoplasm of connective and soft tissue, unspecified	
C50.011	Malignant neoplasm of nipple and areola, right female breast	
C50.012	Malignant neoplasm of nipple and areola, left female breast	
C50.019	Malignant neoplasm of nipple and areola, unspecified female breast	
C50.021	Malignant neoplasm of nipple and areola, right female breast	
C50.022	Malignant neoplasm of nipple and areola, left female breast	
C50.029	Malignant neoplasm of nipple and areola, unspecified female breast	
C50.111	Malignant neoplasm of central portion of right female breast	
C50.112	Malignant neoplasm of central portion of left female breast	
C50.119	Malignant neoplasm of central portion of unspecified female breast	
C50.121	Malignant neoplasm of central portion of right male breast	
C50.122	Malignant neoplasm of central portion of left male breast	
C50.129	Malignant neoplasm of central portion of unspecified male breast	
C50.211	Malignant neoplasm of upper-inner quadrant of right female breast	
C50.212	Malignant neoplasm of upper-inner quadrant of left female breast	
C50.219	Malignant neoplasm of upper-inner quadrant of unspecified female breast	
C50.221	Malignant neoplasm of upper-inner quadrant of right male breast	
C50.222	Malignant neoplasm of upper-inner quadrant of left male breast	
C50.229	Malignant neoplasm of upper-inner quadrant of unspecified male breast	
C50.311	Malignant neoplasm of lower-inner quadrant of right female breast	
C50.312	Malignant neoplasm of lower-inner quadrant of left female breast	
C50.319	Malignant neoplasm of lower-inner quadrant of unspecified female breast	
C50.321	Malignant neoplasm of lower-inner quadrant of right male breast	
C50.322	Malignant neoplasm of lower-inner quadrant of left male breast	
C50.329	Malignant neoplasm of lower-inner quadrant of unspecified male breast	
C50.411	Malignant neoplasm of upper-outer quadrant of right female breast	
C50.412	Malignant neoplasm of upper-outer quadrant of left female breast	
C50.419	Malignant neoplasm of upper-outer quadrant of unspecified female breast	
C50.421	Malignant neoplasm of upper-outer quadrant of right male breast	
C50.422	Malignant neoplasm of upper-outer quadrant of left male breast	
C50.429	Malignant neoplasm of upper-outer quadrant of unspecified male breast	
C50.511	Malignant neoplasm of lower-outer quadrant of right female breast	
C50.512	Malignant neoplasm of lower-outer quadrant of left female breast	



ICD-10	ICD-10 Description	
C50.519	Malignant neoplasm of lower-outer quadrant of unspecified female breast	
C50.521	Malignant neoplasm of lower-outer quadrant of right male breast	
C50.522	Malignant neoplasm of lower-outer quadrant of left male breast	
C50.529	Malignant neoplasm of lower-outer quadrant of unspecified male breast	
C50.611	Malignant neoplasm of axillary tail of right female breast	
C50.612	Malignant neoplasm of axillary tail of left female breast	
C50.619	Malignant neoplasm of axillary tail of unspecified female breast	
C50.621	Malignant neoplasm of axillary tail of right male breast	
C50.622	Malignant neoplasm of axillary tail of left male breast	
C50.629	Malignant neoplasm of axillary tail of unspecified male breast	
C50.811	Malignant neoplasm of overlapping sites of right female breast	
C50.812	Malignant neoplasm of overlapping sites of left female breast	
C50.819	Malignant neoplasm of overlapping sites of unspecified female breast	
C50.821	Malignant neoplasm of overlapping sites of right male breast	
C50.822	Malignant neoplasm of overlapping sites of left male breast	
C50.829	Malignant neoplasm of overlapping sites of unspecified male breast	
C50.911	Malignant neoplasm of unspecified site of right female breast	
C50.912	Malignant neoplasm of unspecified site of left female breast	
C50.919	Malignant neoplasm of unspecified site of unspecified female breast	
C50.921	Malignant neoplasm of unspecified site of right male breast	
C50.922	Malignant neoplasm of unspecified site of left male breast	
C50.929	Malignant neoplasm of unspecified site of unspecified male breast	
C53.0	Malignant neoplasm of endocervix	
C53.1	Malignant neoplasm of exocervix	
C53.8	Malignant neoplasm of overlapping sites of cervix uteri	
C53.9	Malignant neoplasm of cervix uteri, unspecified	
C56.1	Malignant neoplasm of right ovary	
C56.2	Malignant neoplasm of left ovary	
C56.3	Malignant neoplasm of bilateral ovaries	
C56.9	Malignant neoplasm of unspecified ovary	
C57.00	Malignant neoplasm of unspecified fallopian tube	
C57.01	Malignant neoplasm of right fallopian tube	
C57.02	Malignant neoplasm of left fallopian tube	
C57.10	Malignant neoplasm of unspecified broad ligament	
C57.11	Malignant neoplasm of right broad ligament	
C57.12	Malignant neoplasm of left broad ligament	
C57.20	Malignant neoplasm of unspecified round ligament	



ICD-10	ICD-10 Description	
C57.21	Malignant neoplasm of right round ligament	
C57.22	Malignant neoplasm of left round ligament	
C57.3	Malignant neoplasm of parametrium	
C57.4	Malignant neoplasm of uterine adnexa, unspecified	
C57.7	Malignant neoplasm of other specified female genital organs	
C57.8	Malignant neoplasm of overlapping sites of female genital organs	
C57.9	Malignant neoplasm of female genital organ, unspecified	
C7A.1	Malignant poorly differentiated neuroendocrine tumors	
C7A.8	Other malignant neuroendocrine tumors	
C7B.8	Other secondary neuroendocrine tumors	
C73	Malignant neoplasm of thyroid gland	
C78.00	Secondary malignant neoplasm of unspecified lung	
C78.01	Secondary malignant neoplasm of right lung	
C78.02	Secondary malignant neoplasm of left lung	
C78.6	Secondary malignant neoplasm of retroperitoneum and peritoneum	
C78.7	Secondary malignant neoplasm of liver and intrahepatic bile duct	
C79.31	Secondary malignant neoplasm of brain	
C80.0	Disseminated malignant neoplasm, unspecified	
C80.1	Malignant (primary) neoplasm, unspecified	
C96.0	Multifocal and multisystemic (disseminated) Langerhans-cell histiocytosis	
C96.2	Malignant mast cell neoplasm	
C96.5	Multifocal and unisystemic Langerhans-cell histiocytosis	
C96.6	Unifocal Langerhans-cell histiocytosis	
C96.9	Malignant neoplasm of lymphoid, hematopoietic and related tissue, unspecified	
C96.Z	Other specified malignant neoplasms of lymphoid, hematopoietic and related tissue	
D37.1	Neoplasm of uncertain behavior of stomach	
D37.8	Neoplasm of uncertain behavior of other specified digestive organs	
D37.9	Neoplasm of uncertain behavior of digestive organ, unspecified	
D76.3	Other histiocytosis syndromes	
Z85.00	Personal history of malignant neoplasm of unspecified digestive organ	
Z85.01	Personal history of malignant neoplasm of esophagus	
Z85.028	Personal history of other malignant neoplasm of stomach	
Z85.038	Personal history of other malignant neoplasm of large intestine	
Z85.068	Personal history of other malignant neoplasm of small intestine	
Z85.07	Personal history of malignant neoplasm of pancreas	
Z85.118	Personal history of other malignant neoplasm of bronchus and lung	
Z85.43	Personal history of malignant neoplasm of ovary	



ICD-10	ICD-10 Description	
Z85.831	Personal history of malignant neoplasm of soft tissue	
Z85.858	Personal history of malignant neoplasm of other endocrine glands	

Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

The preceding information is intended for non-Medicare coverage determinations. Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determinations (NCDs) and/or Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where applicable. Local Coverage Articles (LCAs) may also exist for claims payment purposes or to clarify benefit eligibility under Part B for drugs which may be selfadministered. The following link may be used to search for NCD, LCD, or LCA documents: https://www.cms.gov/medicare-coverage-database/search.aspx. Additional indications, including any preceding information, may be applied at the discretion of the health plan.

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD/LCA): N/A

	Medicare Part B Administrative Contractor (MAC) Jurisdictions			
Jurisdiction	Applicable State/US Territory	Contractor		
E (1)	CA, HI, NV, AS, GU, CNMI	Noridian Healthcare Solutions, LLC		
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC		
5	KS, NE, IA, MO	Wisconsin Physicians Service Insurance Corp (WPS)		
6	MN, WI, IL	National Government Services, Inc. (NGS)		
H (4 & 7)	LA, AR, MS, TX, OK, CO, NM	Novitas Solutions, Inc.		
8	MI, IN	Wisconsin Physicians Service Insurance Corp (WPS)		
N (9)	FL, PR, VI	First Coast Service Options, Inc.		
J (10)	TN, GA, AL	Palmetto GBA		
M (11)	NC, SC, WV, VA (excluding below)	Palmetto GBA		
L (12)	DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA)	Novitas Solutions, Inc.		
K (13 & 14)	NY, CT, MA, RI, VT, ME, NH	National Government Services, Inc. (NGS)		
15	КҮ, ОН	CGS Administrators, LLC		

