



Sustol[®] (granisetron extended-release) (Subcutaneous)

Document Number: IC-0283

Last Review Date: 03/31/2023 Date of Origin: 08/30/2016 Dates Reviewed: 08/2016, 11/2016, 02/2017, 05/2017, 08/2017, 11/2017, 02/2018, 04/2018, 04/2019, 4/2020, 04/2021, 04/2022, 04/2023

I. Length of Authorization

Coverage will be provided for 6 months and may NOT be renewed.

II. Dosing Limits

A. Quantity Limit (max daily dose) [NDC Unit]:

• Sustol Extended-Release Injection 10 mg/0.4 mL single-dose pre-filled syringe: 1 syringe per 7 day supply

B. Max Units (per dose and over time) [HCPCS Unit]:

• 100 billable units per 7 days

III. Initial Approval Criteria¹

Coverage is provided in the following conditions:

• Patient must be at least 18 years of age; AND

Prevention of chemotherapy-induced nausea and vomiting (CINV) \dagger ^{1,3-6}

- Must be administered in combination with dexamethasone; AND
- Patient is receiving highly emetogenic chemotherapy (HEC)* or a regimen that is not considered to be HEC*; AND
- Patient has failed** with palonosetron while receiving the current chemotherapy regimen; AND
- Sustol is NOT covered for any of the following:
 - $\circ \quad \text{Breakthrough emesis} \quad$
 - Repeat dosing in multi-day emetogenic chemotherapy regimens

*Highly emetogenic chemotherapy (HEC):

Highly Emetogenic Chemotherapy (HEC)



Carboplatin	Carmustine	Cisplatin	Cyclophosphamide		
Dacarbazine	Doxorubicin	Epirubicin	Fam-trastuzumab deruxtecan-nxki		
Ifosfamide	Mechlorethamine	Melphalan ≥140 mg/m ²	Sacituzumab govitecan- hziy		
Streptozocin					
The following can be considered HEC in certain patients					
Dactinomycin	Daunorubicin	Idarubicin	Irinotecan		
$\begin{array}{l} Methotrexate\\ \geq 250 mg/m^2 \end{array}$	Oxaliplatin	Trabectedin			
The following regimens can be considered HEC					
FOLFOX	FOLFIRI	FOLFIRINOX; FOLFOXIRI	AC (any anthracycline + cyclophosphamide)		

****** Failure is defined as:

- Two or more documented episodes of vomiting attributed to the current chemotherapy regimen
- **†** FDA Approved Indication(s); **‡** Compendia Recommended Indication(s); **Φ** Orphan Drug

IV. Renewal Criteria¹

Coverage cannot be renewed.

V. Dosage/Administration¹

Indication	Dose
Prevention of chemotherapy-	10 mg, administered subcutaneously by a healthcare provider, on
induced nausea and vomiting in	Day 1 of chemotherapy; not more frequently than once every 7 days.
adults	

VI. Billing Code/Availability Information

HCPCS code:

• J1627 – Injection, granisetron, extended-release, 0.1 mg; 1 billable unit = 0.1 mg

NDC:

• Sustol Extended-Release Injection 10 mg/0.4 mL single-dose pre-filled syringe: 47426-0101xx



VII. References

- 1. Sustol [package insert]. San Diego, CA; Heron Therapeutics; May 2017. Accessed March 2023.
- Schnadig ID, Agajanian R, Dakhil C, et al. APF530 (granisetron injection extended-release) in a three-drug regimen for delayed CINV in highly emetogenic chemotherapy. Future Oncol. 2016;12:1469-1481
- 3. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium®) Antiemesis. Version 1.2023. National Comprehensive Cancer Network, 2023. The NCCN Compendium® is a derivative work of the NCCN Guidelines®. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed March 2023.
- 4. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium®) for granisetron extended release subcutaneous system. National Comprehensive Cancer Network, 2023. The NCCN Compendium® is a derivative work of the NCCN Guidelines®. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. March 2023.
- 5. Roila F, Molassiotis A, Herrstedt J, et al. MASCC and ESMO Consensus Guidelines for the Prevention of Chemotherapy and Radiotherapy-Induced Nausea and Vomiting: ESMO Clinical Practice Guidelines. Ann Oncol (2016) 27 (suppl 5): v119-v133.
- 6. Hesketh PJ, Kris MG, Basch E, et al. Antiemetics: American Society of Clinical Oncology Guideline Update. J Clin Oncol. 2020 Aug 20;38(24):2782-2797. Doi: 10.1200/JCO.20.01296.

ICD-10	ICD-10 Description	
R11.0	Nausea	
R11.10	Vomiting, unspecified	
R11.11	Vomiting without nausea	
R11.12	Projectile vomiting	
R11.2	Nausea with vomiting, unspecified	
T45.1X5A	Adverse effect of antineoplastic and immunosuppressive drugs, initial encounter	
T45.1X5D	Adverse effect of antineoplastic and immunosuppressive drugs, subsequent encounter	
T45.1X5S	Adverse effect of antineoplastic and immunosuppressive drugs, sequela	
T45.95XA	Adverse effect of unspecified primarily systemic and hematological agent, initial encounter	
T45.95XD	Adverse effect of unspecified primarily systemic and hematological agent, subsequent encounter	

Appendix 1 – Covered Diagnosis Codes



Proprietary Information. Restricted Access – Do not disseminate or copy without approval. ©2023, Magellan Rx Management

ICD-10	ICD-10 Description	
T45.95 XS	Adverse effect of unspecified primarily systemic and hematological agent, sequela	
T50.905A	Adverse effect of unspecified drugs, medicaments and biological substances, initial encounter	
T50.905D	Adverse effect of unspecified drugs, medicaments and biological substances, subsequent	
T50.905S	Adverse effect of unspecified drugs, medicaments and biological substances, sequela	
Z51.11	Encounter for antineoplastic chemotherapy	
Z51.12	Encounter for antineoplastic immunotherapy	

Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD), Local Coverage Determinations (LCDs), and Local Coverage Article(s) may exist and compliance with these policies is required where applicable. They can be found at: <u>https://www.cms.gov/medicare-coverage-database/search.aspx</u>. Additional indications may be covered at the discretion of the health plan.

Medicare Part B Administrative Contractor (MAC) Jurisdictions				
Jurisdiction	Applicable State/US Territory	Contractor		
E (1)	CA, HI, NV, AS, GU, CNMI	Noridian Healthcare Solutions, LLC		
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC		
5	KS, NE, IA, MO	Wisconsin Physicians Service Insurance Corp (WPS)		
6	MN, WI, IL	National Government Services, Inc. (NGS)		
H (4 & 7)	LA, AR, MS, TX, OK, CO, NM	Novitas Solutions, Inc.		
8	MI, IN	Wisconsin Physicians Service Insurance Corp (WPS)		
N (9)	FL, PR, VI	First Coast Service Options, Inc.		
J (10)	TN, GA, AL	Palmetto GBA, LLC		
M (11)	NC, SC, WV, VA (excluding below)	Palmetto GBA, LLC		
L (12)	DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA)	Novitas Solutions, Inc.		
K (13 & 14)	NY, CT, MA, RI, VT, ME, NH	National Government Services, Inc. (NGS)		
15	КҮ, ОН	CGS Administrators, LLC		

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD/LCA): N/A

